

Absolute Measurements in Electricity and Magnetism

Andrew Gray
Second Edition 1921

Table of Contents and Index

CONTENTS.

CHAPTER I.

UNITS AND DIMENSIONS OF PHYSICAL QUANTITIES.

Section 1. Measure of a physical quantity. 2. Unit of length. 3. Dimensional formulae. Change-ratios. 4. Derived units and fundamental units. 5. Unit of length. 6. Prototype metre. 7. Units for scientific work. 8. Unit of mass. 9. Relation between British and French standards of mass. 10. Unit of time. 11. The fundamental units are arbitrarily chosen. 12. Dimensional formulae for derived units. 13. Formulae must be homogeneous in dimensions. 14. Unit of area. 15. Unit of density. 16. Dimensions of velocity and speed. 17. Dimensions of acceleration. 18. Dimensions of momentum. 19. Time-rate of change of momentum. 20. Dimensions of force. 21. Dimensions of work. 22. Dimensions of energy. 23. Examples of kinematical and dynamical units. 24. Quantity of electricity. 25. Electric surface density $[\sigma]$. 26. Electric force and intensity of electric field $[f]$. 27. Electric potential $[v]$. 28. Capacity of a conductor $[c]$. 29. Specific inductive capacity $[K]$. 30. Electric current $[\gamma]$. 31. Resistance $[r]$. 32. Conductance $[1/r]$. 33. Magnetic pole. 34. Magnetic moment $[m]$. 35. Intensity of magnetization $[\nu]$. 36. Magnetic permeability $[\varpi]$. 37. Intensity of magnetic field $[H]$. 38. Magnetic susceptibility $[\kappa]$. 39. Quantity of electricity $[Q]$. 40. Electric potential, or electromotive force $[V]$. 41. Electrostatic capacity $[C]$. 42. Resistance $[R]$. 43. Self-inductance $[L_1]$. 44. Mutual inductance $[M_1]$. 45. Relation between electrostatic and electromagnetic units. 46. Systems reconciled by "suppressed dimensions" of μ and κ . Tables of dimensions. 47. Examples of dimensional formulae. 48. Coulomb, ohm, volt, ampere. 49. Specification of international ohm, volt, and ampere. 50. Realization of unit of e.m.f. 51. Disk magneto for realization of unit of e.m.f. 52. Absolute units of electrical energy: B.T.U. and watt. 53. Kilowatts and joule. 54. Units of capacity. 55. Practical units as an independent system. 56. Ratio of units. pp. 1-36

CHAPTER II.

SECTION I.

MAGNETS. MAGNETIC POTENTIAL. POTENTIAL ENERGY OF A MAGNET.

Section 1. Magnetism. Unit of magnetism. 2. Magnetic field. Magnetic field intensity. Equilibrium of a magnet in a magnetic field. 3. Potential

energy of a magnet. Couple on a magnet in a magnetic field. 4. Uniform magnetization. 5. Magnetic potential. Lines of magnetic force. Equipotential lines and surfaces. 6. Graphical construction of lines of force and equipotential lines. 7. Analogies with fluid motion. 8. Potential of a magnetic filament. 9. Lines of force of a uniformly magnetized bar. 10. Construction for lines of force of a uniformly magnetized bar. 11. Resultant field obtained by superimposing the field of a bar-magnet on a uniform field. 12. Potential of a magnetized body in a magnetic field. 13. The mutual potential energy of a magnet and a magnetic field. 14. Potential energy of a magnet in the field of a single magnetic pole.

SECTION II.

MAGNETIC INDUCTION. VECTOR POTENTIAL. MAGNETIC ENERGY.

Section 15. Magnetic induction and magnetic force. 16. Magnetic susceptibility. Magnetic permeability. 17. Vector potential. 18. Values of components of magnetic induction in terms of vector potential. 19. Specification of vector potential. 20. Energy of two magnetic distributions in presence of one another.

SECTION III.

APPLICATIONS OF GENERAL THEORY. MAGNETIC SHELLS. LAMELLAR DISTRIBUTION. UNIFORMLY MAGNETIZED ELLIPSOID.

Section 21. Magnetic shells. 22. Lamellar magnets. 23. One magnetic shell in the field of another. 24. Potential of a uniformly magnetized body. 25. Case of a uniformly magnetized ellipsoid.

SECTION IV.

INDUCED MAGNETIZATION.

Section 26. Induced magnetization in a uniform field. Weber's theory. 27. "Coercive force." Hysteresis in changes of magnetization. Demagnetizing forces. 28. Induced magnetization of an aeolotropic body. 29. Couples on a magnetized aeolotropic body. 30. An aeolotropic ellipsoid in a uniform field. 31. Paramagnetism and diamagnetism. 32. Distribution of magnetism in bar-magnets. Question of "centroids" of magnetism. pp. 37-86

CHAPTER III.

DEFINITION OF UNIT CURRENT. DETERMINATION OF THE HORIZONTAL COMPONENT OF THE EARTH'S MAGNETIC FIELD-INTENSITY.

Section 1. Measurement of currents. 2. Law of Laplace. 3. Electromagnetic force. 4. Determination of the earth's horizontal magnetic force. 5. Poisson's method. 6. Method of Gauss. 7. The magnetometer. 8. Mode of measuring deflections. 9. Construction of deflecting magnets. 10. Placing of deflecting magnets in position. 11. "End-on" and

"side-on" positions. 12. Oscillation experiments. 13. Corrections in Gauss's method. 14. Description of actual determinations. 15. Deflection experiments. 16. Observation of deflections. 17. Observation of oscillations. 18. Reduction of observations. 19. Correction for distribution. 20. Theoretical results. 21. Corrections for alteration of moment, and for induction. 22. Effects of variations of the earth's field. 23. Effect in the inductive correction of varying thickness of magnet. 24. Elimination of effect of magnetic distribution. 25. Magnetic survey. 26. Comparison of moments of large magnets. 27. Stroud's magnetometer for complete determination of H . 28. The magnetometer. 29. Use and theory of Stroud's magnetometer. 30. Order of magnitude of errors. 31. Results obtained with trial instrument. 32. Errors in usual magnetometer arrangements. 33. Improved magnetometer tables and accessories. 34. Arrangement of compensating coils. 35. Adjustment of the instrument. 36. Testing of specimens at different temperatures.

pp. 87-128

CHAPTER IV.

CURRENTS IN DERIVED CIRCUITS AND IN A NETWORK OF LINEAR CONDUCTORS.

Section 1. Steady flow in linear conductors. 2. Ohm's law. 3. Ohm's law in a heterogeneous circuit. 4. Arrangement of a battery. 5. Networks of linear conductors. 6. E.m.f. in a circuit in a network. 7. Principle of continuity. Current through a galvanometer in a bridge. 8. Resistance of a bridge network. 9. Addition of conductors to network without change of flow. 10. Conjugate conductors in a network. 11. Reciprocal relation of conductors in a network. 12. Derived circuits in a network. 13. Sensitiveness of a bridge arrangement. 14. Flow of electricity in three dimensions. 15. Differential equations of flow. 16. Examples of flow. 17. Resistance between electrodes buried in a large mass of conductor. 18. End corrections of bar terminating in large conducting masses.

pp. 129-145

CHAPTER V.

THEORY OF ELECTROMAGNETIC ACTION.

I. ACTIONS BETWEEN CURRENTS AND MAGNETS.

Section 1. Oersted's experiment. 2. Equivalence of a current and a distribution of magnetism stated. 3. Definition of current strength and unit current. 4. Proof of general theorem of equivalence of a linear current and a magnetic shell. 5. Work done in carrying a pole in a closed path round a current. 6. Case in which the path and circuit interlace any number of times. 7. Magnetic field of a long straight conductor carrying a current. 8. Lines of force circles round a conductor. 9. Law of force found experimentally: method of Maxwell. 10. Deduction of law of force from equivalent magnetic shell. 11. Expression for potential found from law of force. 12. Theorem of work done in carrying unit pole round current: second proof. 13. Relation of current to line integral of magnetic force round conductor. 14. A circuit and magnet equivalent in one medium not necessarily so in another. 15. Action of magnetic system on a current. 16. Force on element of circuit. 17. Equations of electromagnetic force.

II. ACTION OF CURRENTS ON CURRENTS.

Section 18. Mutual action of two circuits. 19. Ampère's experiments. 20. The action between two elements varies inversely as distance². 21. Theoretical results of Ampère's experiments. 22. Second proof of equation (16). 23. Ampère's expression deduced from the magnetic shell theory. 24. Weber's experiments. 25. Forces between straight conductors. 26. Ampère's formula applied to find the action of a thin solenoid. 27. Ampère's directrix of electrodynamic action. 28. Calculation of result for a small circuit. 29. Application of the result to a solenoid. 30. A singly infinite solenoid equivalent to a magnetic pole. 31. Action of a solenoid on a finite conductor. 32. A solenoid compared with a uniform magnet. 33. Moment on a conductor in the field of a single pole. 34. Reaction of the elements of a circuit on a magnetic system.

pp. 146-179

CHAPTER VI.

MAGNETIC FIELDS DUE TO CURRENTS.

MAGNETIC ACTION OF COILS.

Section 1. Unit current. 2. Magnet equivalent to a current. Magnetic shell. 3. Method of vector-potential. 4. Electrokinetic energy of currents. 5. Currents distributed in space of three dimensions. 6. Specification of vector-potential. 7. Vector-potential for a magnetic shell. Mutual inductance of two shells. 8. Second specification of magnetic induction through a circuit. 9. Magnetic field-intensity due to an element of a current-carrying circuit. 10. Mutual inductance between two coaxial circular conductors. 11. Mutual inductance of circle and helix. 12. Mutual inductance of helix and cylindrical current sheet. 13. Computation of mutual inductances. 14. Computation of mutual inductance of two coaxial circles by q -series. 15. Relations between magnetic field-intensities and inductances. 16. Equivalence of a helical current and a current sheet. 17. Theory of a current weigher. 18. Mutual inductance of two close nearly equal coaxial circles. 19. Total induction is stream function of magnetic potential in case of axial symmetry. 20. Calculation by zonal harmonic series. 21. Integration of zonal harmonic series for two circles with intersecting axes. 22. Discussion of two single-layer coils. 23. Particular case of axis of coils at right angles. Method of integration. 24. Formulae of calculation. 25. Application of results to construction of absolute galvanometers and electro-dynamometers. 26. Coefficient of mutual induction of two coils: standards of inductance.

pp. 180-209

CHAPTER VII.

CALCULATION OF CONSTANTS OF COILS AND

COEFFICIENTS OF INDUCTION.

MAGNETIC ACTION OF CIRCUITS AND COILS.

Section 1. Solid angle subtended by circle. Potential due to circular current. 2. Potential due to circular surface distribution of magnetism. 3. Potential due to disk, and potential due to circular magnetic shell, found by solving Laplace's equation. 4. Magnetic forces due to circular mag-

netic shell. 5. Couple on magnetic needle produced by circular current. 6. Modification of formulae to allow for dimensions of coil-section. 7. Removal of second term in series for F . Gaugain's galvanometer. 8. Helmholtz's arrangement of galvanometer coils. 9. Effect of finite cross-section of coil. 10. Application of corrections to Helmholtz double coil. 11. Galvanometer with four coaxial coils. 12. Galvanometer with three coaxial coils. Conditions for uniformity of field. 13. Long coil of single layer of fine wire. 14. Direct calculation for potential and force at centre of a long coil. 15. A solenoid regarded as a lamellar magnet. 16. Long coil of several layers. 17. Potential, etc., of circular current. Expansions available for near or distant points. 18. Expansions for couple on small magnet with centre on axis. 19. Mutual action of two circular conductors. 20. Electrokinetic energy of two circular currents. Extension to two coils of finite cross-section. 21. Couple on suspended double coil of electro-dynamometer. 22. Turning couple of coil on magnetic needle galvanometers. 23. Electro-dynamometer with double-coil arrangement. pp. 210-231

CHAPTER VIII.

DYNAMICAL THEORY OF MUTUALLY INFLUENCING
CIRCUITS.

MEASUREMENTS IN ALTERNATING-CURRENT CIRCUITS.

Section 1. Electrokinetic energy of a system of circuits. 2. Components of electrokinetic momentum. 3. Dissipation function and electrostatic energy. 4. Coefficients of potential, coefficients of induction, and capacities. 5. Dynamical theory of mutually influencing circuits. 6. Rails and slider magneto. 7. General theorem regarding mutually influencing circuits. 8. Two circuits, a primary and a secondary. Theorem: $L_1 L_2 > M^2$. 9. March of the currents in the primary and secondary. 10. Total flow at "make" and at "break." Current in the secondary at break of the primary. 11. Theory of a single circuit with self-inductance. 12. Equations for the circuits of a network of conductors. 13. Battery with induction coil and cross-connection. 14. Electrical oscillations. Theory. 15. Dynamical analogies in electrical oscillations. 16. Time constants in oscillatory discharge of a condenser. 17. Harmonic electromotive forces. Rule for solution of differential equations for forced oscillations. 18. Impedance in an electric circuit. Influence of capacity. 19. Influence of inductance in telephony. 20. Electric resonance. 21. Primary circuit with a condenser, and a secondary which contains no electromotive force. 22. Conductors in parallel, containing resistance, inductance and capacity. 23. Alternator with electromotive force any periodic function of t . 24. Rate of working in the circuit of an alternator. Mean current and mean square of current. 25. Power factor in an alternating circuit. 26. Phase difference and time-lag. pp. 232-258

CHAPTER IX.

THE DISTRIBUTION OF ALTERNATING CURRENTS
IN PARALLEL CONDUCTORS.

Section 1. Flow of alternating currents in a coaxial main. Differential equation. 2. Integration of the differential equation. 3. Solution for

outer return as highly conducting thin tube. 4. Effective resistance and effective conductance of inner conductor. 5. Special notation for functions. 6. General case of coaxial main. Outside conductor of finite thickness. 7. Determination of constants in the general solution. 8. Final result in the general case. 9. Special cases: low frequency and high frequency. 10. Case of mc not greater than 2. 11. "Skin effect" in practical cases. 12. Case of ma greater than 5. 13. Inner conductor a hollow tube. 14. Two parallel wires. 15. A ring conductor of circular section. 16. Main consisting of two flat conducting strips with insulating separator. 17. The complete solution and its realization. 18. Particular cases: high frequency and low frequency. 19. General dynamical theory of effects of constraints. 20. Effective "resistance" and "inertia" (or "inductance") of system. 21. Electrical problems. Primary and secondary circuits. 22. System of primary, secondary, tertiary, etc., circuits. 23. Numerical example of use of tables. P. 282. Tables of the functions $X_1(x)$, $V_1(x)$, $S(x)$, $T(x)$. P. 283. Tables of functions used in calculating resistances and inductances of conductors carrying rapidly alternating currents. P. 284. Values of the argument m for copper wires of conductivity 5.811×10^{-4} c.g.s. units and different frequencies.

pp. 259-284

CHAPTER X.

THE MEASUREMENT OF ACTIVITY IN ELECTRIC CIRCUITS.

Section 1. Activity in circuit of generator and motor. 2. Electrical efficiency of arrangement of generator and motor. 3. Case when generator and motor are similar machines. 4. Electrical efficiency increased by increasing e.m.f. in circuit. 5. Measurement of working efficiency of motor. 6. Generator charging storage battery. 7. Arrangement of maximum electrical efficiency. Effect of increased e.m.f. in circuit. 8. Measurement of energy spent in charging. 9. Electrical activity in alternating-current circuits. Activity-meters. 10. Differences of potential and currents in alternating-current circuits. 11. Mean current and square root of mean square [R.M.S.] of current. 12. Measurement of difference of potential by idiostatic electrometer. 13. Enhanced resistance due to alternation: distinguished from impedance. 14. Measurement of activity. 15. Circuit containing simple harmonic e.m.f. 16. Difference of phase of current and e.m.f. 17. Mean electrical activity in circuit. 18. Compound periodic e.m.f. 19. Mean activity = sum of mean activities of the components. 20. Circuit with two e.m.f.s of the same period. 21. Two unequal e.m.f.s of different phase. 22. Tendency of equal machines to opposition of phase. Parallel alternators. 23. Theory of alternating motor. 24. Maximum activity of motor. Explanation of self-synchronizing action. 25. Treatment of part of a circuit. 26. Effect of impedance of measuring instruments. Phase differences. 27. Condition that difference of phase between currents in parallel may be insensible. 28. Apparent and true mean activity. 29. Measurement of difference of phase between alternating currents. 30. Transformer. Measurement of activity. 31. Proof of validity of method on assumption of constant permeability. 32. Constant permeability involves zero dissipation in iron core of transformer. 33. Energy spent in hysteresis. 34. Difference of potential between terminals of primary. 35. Measurement of activity by current-meter only. 36. Testing dynamos. Method of Messrs. Hopkinson. 37. Swinburne's method of testing dynamos. 38. Sumpner's method of testing transformers. 39. Determination of waste power. 40.

- Case of two equal transformers. 41. Three-voltmeter method. 42. Method with two current-meters and voltmeter. 43. Electrometer-method of measurement of mean squares of current and potential. 44. Electrometer-method of determining activity. pp. 285-322

CHAPTER XI.

THE COMPARISON OF RESISTANCES.

- Section 1. Comparison of resistances to steady currents. Galvanometers. 2. Sensitiveness of a galvanometer. 3. Resistance coils and resistance boxes. 4. Construction of resistance coils. 5. Legal and International ohm. 6. Different forms of resistance boxes. 7. Resistance slides. 8. Conductivity box. 9. Temperature variation of resistance. 10. Testing a resistance box. 11. Rheostats. 12. Christie's or Wheatstone's bridge. 13. Arrangement of bridge for greatest sensibility. 14. Practical rule for sensibility. 15. Further discussion of sensibility. 16. Operations in testing with a bridge. 17. Effect of self-inductance in a bridge network. 18. Testing with a known ratio of arms of bridge. Interpolation. 19. Slide-wire bridges. 20. Calibration of a slide-wire. 21. Carey Foster's method of calibrating a slide-wire. 22. T. Gray's method of calibrating a slide-wire. 23. Resistance of the slide-wire between two readings. 24. Comparison of two standards. 25. Thomson's double bridge. 26. Theory of Thomson double bridge. 27. Example of a test by double bridge. 28. Thomson's apparatus for testing rods by a double bridge. 29. Matthiessen and Hockin's method for low resistances. 30. Rayleigh's method of comparing low resistances. 31. Potentiometer method for low resistances. 32. Two-step method for low resistances. 33. Fall of potential method for low resistances. 34. Differential galvanometer with high resistance coils for low resistance tests. 35. Differential galvanometer method for comparison of standards. 36. Measurement of specific resistances. 37. Commercial tests of specific resistances of copper mains. 38. Realization of a standard ohm. 39. Copies of the standard ohm. 40. Constancy of standards. 41. Measurement of high resistances. 42. Leakage method for high resistances. 43. Details of leakage observations. 44. Calculation of resistance from leakage. 45. Measurement of battery resistance. 46. Methods of Mance and Thomson for battery resistance. pp. 323-379

CHAPTER XII.

GALVANOMETRY AND MEASUREMENT OF CURRENTS.

SECTION I. ABSOLUTE GALVANOMETRY.

- Section 1. Standard galvanometers and electro-dynamometers. 2. Tangent and sine galvanometers. Construction. 3. Needle and suspension. Scale and pointer. 4. Single-layer tangent galvanometer. 5. Manner of building up a wooden bobbin. 6. Tangent galvanometer: sine galvanometer. Principal constant. 7. Sine galvanometer. 8. T. Gray's sine galvanometer. 9. Theory of a tangent galvanometer. 10. Adjustment of instrument. 11. Coil at 45° to meridian. 12. Sensibility of galvanometer. 13. Sensibility for different positions of needle. 14. Torsion of suspension fibre. 15. Bilateral and unilateral deflection of a galvano-

meter needle by alternating current. 16. Electrodynamometers. 17. B.A. Committee's electrodynamometer. 18. Methods of using the instrument. 19. The Gray absolute electrodynamometer. 20. Value of the couple in the Gray dynamometer. 21. Corrections. Calibration of windings, etc. 22. Non-absolute galvanometers and dynamometers. Choice of gauge of wire. 23. Best shape of section of bobbin. 24. Effect of grading the gauge of wire in bobbin. 25. Theory of a graded coil. 26. The needle and needle chamber. 27. Wiedemann's aperiodic galvanometer. 28. Siphon-recorder arrangement used for galvanometer. 29. Best shape of coils in moving coil galvanometers. 30. Suspension of coils. 31. Astatic galvanometers. 32. Gray's astatic galvanometer. 33. Vertical astatic needles. 34. Advantages of vertical needles. 35. Astatic system with straight vertical needles. 36. Ballistic galvanometers. 37. Approximate theory of the ballistic galvanometer. 38. Damping of oscillations by air-friction. 39. Logarithmic decrement of ballistic deflection. 40. Uncertainty of ballistic action. Theory of its cause. 41. Elimination of constant, etc., for ballistic galvanometer. 42. Observations by the method of recoil. 43. Combination of results of method of recoil. 44. Moving coil galvanometers with iron cores in the coils. 45. Current weighers for the absolute measurement of currents. 46. Attraction between two parallel coils. 47. Force on movable coil between two fixed coils. 48. Force on movable coil in terms of ratio of coil-constants. 49. Tests of insulation and particulars of coils. 50. Experimental determination of ratio of coil-constants. 51. Adjustment of suspended coil. Final result. 52. Current balance of the Bureau of Standards. 53. Particulars of coils. 54. Theory of the balance. Comparison of coils. 55. Calculation of forces. 56. Manipulation and weighings. 57. Value of g . Accuracy of current measurement. 58. Current balance of the National Physical Laboratory. 59. General description of the balance. 60. Calculation of constants of balance. 61. Results obtained. 62. Lord Kelvin's standard current balance. 63. Centi-ampere balance.

SECTION II.

MEASUREMENT OF CURRENTS AND GRADUATION OF INSTRUMENTS BY ELECTROLYSIS.

Section 64. Determination of the electro-chemical equivalent of silver. 65. Details of an experiment. 66. Results of a series of experiments. 67. Electro-chemical equivalent of silver. 68. Measurement of currents by electrolysis of copper sulphate. 69. Preparation of plates. 70. Electrolysis of copper sulphate. 71. Treatment of copper plates. 72. Electro-chemical equivalent of copper. 73. Graduation of standard instruments by electrolysis. 74. Arrangement for strong and weak currents.

SECTION III.

DETERMINATION OF ELECTROMOTIVE FORCES OF CELLS AND GRADUATION OF VOLTMETERS.

Section 75. Potential measuring instruments or voltmeters. 76. Graduation of a voltmeter. 77. Clark's standard cell. 78. Determination of e.m.f. of dark cell. Potentiometer method. 79. Graduation of voltmeter by standard cells. 80. Standard Daniell cell. *Note as to Weston cadmium cell.*

CHAPTER XIII.

CALCULATION OF INDUCTANCES.

Section 1. Geometric mean distance—g.m.d. 2. Theory of circuit of two long parallel conductors. 3. Electrokinetic energy of a current. Geometric mean distances. 4. Self-inductance of a circuit. 5. Examples of the use of g.m.d. 6. Calculation of g.m.d. 7. Values of g.m.d. in various cases. 8. G.m.d. for lines, rectangles and squares. 9. G.m.d. for adjacent squares in different relative positions. 10. Self-inductance of circular coil of large radius. 11. Mutual induction of two close coils of large radius. 12. Mutual inductance of two coaxial circles. 13. Coil of maximum self-inductance. 14. Meaning of self-inductance of part of a circuit. 15. Self-inductance of straight conductor of given length. 16. Mutual inductance of two parallel wires of equal length. 17. Self-inductance of a straight bar and any form of section. 18. Mutual inductance of parallel conductors of square section. 19. Inductances in various cases. 20. Self-inductance of a non-inductive shunt and of a thin tape. 21. Solid conductor in coaxial tube. Multiple conductors. 22. Inductances of coils. Gray's formulae. 23. Gray's formula for coaxial coils. 24. Mutual inductance of a solenoid and a coaxial circle. 25. Calculation of current-weigher constant. 26. Coils of lengths $\sqrt{3}$ times the radius. 27. Practical example of Gray's formula. 28. Coils with multiple layers. 29. Correction for cross-sections of coils. 30. Correction of elliptic integral formula for cross-section. 31. Lord Rayleigh's correction for cross-section. 32. Lyle's equivalent mean radius for distant coils. 33. Formulae for inductances of thick coils. Singly infinite solid coils. 34. Axial potential due to semi-infinite solid coil. Mutual inductance of two such coils. 35. Practical formulae for solid singly infinite coils. 36. Mutual inductance of two non-overlapping finite solid coils. 37. Working formula for two semi-infinite coils. 38. Case of distance between ends of coils small. 39. Solid coils with adjacent ends in contact. 40. Derivation of formulae by elliptic integrals. 41. Tables for calculation of mutual inductances. 42. Case of non-overlapping hollow coils. 43. Overlapping coils. 44. Calculation of self-inductances. 45. Calculations for short coils. Range of applicability of formulae. 46. Inductances of flat coils. 47. Self-inductance derived from elliptic integral formulae. 48. Time-constants of coils. 49. Mutual inductances of coaxial and coplanar flat coils. 50. Formulae for self-inductance. 51. Correction for deviation of flow from that in a current sheet.

pp. 479-527

CHAPTER XIV.

MEASUREMENT OF INDUCTANCES.

Section 1. Coefficients of induction or "inductances." 2. General theory of network of conductors carrying varying currents. 3. Maxwell's cycle-method of a network. 4. Equation of current in a single conductor. 5. Principle of continuity for varying currents derived from law of magnetic force. 6. Theory of Maxwell's cycle-method. Method usual in practice. 7. Comparisons of inductances: problems. Ratio of inductances obtained as ratio of two resistances. 8. Theory of Maxwell's method. 9. Condition that Maxwell's method should be absolutely "null." 10. Modification of Maxwell's method. 11. Theory of the modified method. 12. Ayrton and Perry's secohmmeter. 13. M. Brillouin's experiments. 14.

Experiments by Maxwell's method. 15. Comparison of two self-inductances. 16. Theory of method. 17. Sensibility of the arrangement. 18. Conditions that the galvanometer current may be zero. 19. Use of a telephone in Wheatstone's bridge. 20. Practice of the method. 21. Niven's modification of Maxwell's method. 22. Theory of Niven's modification. 23. Arrangement of bridge for sensibility. 24. Comparison of two inductances by differential galvanometer. 25. Theory of method. 26. Comparison of mutual inductance of two coils with self-inductance of one. 27. Avoidance of successive adjustments by shunting coil. 28. Brillouin's modification of method. 29. Method of correcting for unknown inductances in the bridge. 30. Theory of the method. 31. Modification of formula for Brillouin's arrangement. 32. Most sensitive arrangements of bridge. 33. Practical example of method. 34. Mutual inductance of two coils compared with self-inductance of third. 35. Theory of method. 36. Comparison of an inductance with a resistance. 37. Use of secohmmeter. 38. Theory of method. 39. Lord Rayleigh's experiments. 40. Observations of steady current deflection. 41. Reduction of results of observations. 42. Joubert's method of measuring self-inductance. 43. Theory of Joubert's method. 44. Conditions for accuracy of Joubert's method. 45. Rosa and Grover's investigation: correction for wave form. 46. Rosa and Grover's determination continued. 47. Results of Rosa and Grover's experiments. 48. Comparison of self-inductance with capacity of a condenser. 49. Theory of method. 50. Rimington's modification of Maxwell's method. 51. Theory of Rimington's modification. 52. Anderson's ballistic method. 53. Practical example of Anderson's ballistic method. 54. Comparison of mutual inductance and capacity by Anderson's ballistic method. 55. Comparison of mutual inductance and capacity by a differential galvanometer. 56. Theory of method by differential galvanometer. 57. Anderson's null method for comparison of self-inductance and capacity. 58. Condition that the method may be null. 59. Stroud and Oates' modification. 60. Rosa and Grover's determination by Anderson's null method. 61. Residual inductances and capacities in "non-inductive" coils. 62. Determination of the electrostatic capacity of an induction coil. 63. Estimation of error due to residual inductance and capacity. P. 587. Table of results of Measurements of Four Inductance Coils of 100 Millihenrys each. Coils Measured Singly and in Series in Groups of Two. 64. Comparison of mutual inductance and capacity: Carey Foster's method. 65. Most sensitive arrangement for Carey Foster's method. 66. Condition that Carey Foster's method may be null. 67. Practical example of Carey Foster's method. pp. 528-592

CHAPTER XV.

ABSOLUTE MEASUREMENT OF RESISTANCE.

Section 1. Importance of realized standards of resistance. 2. Absolute measurement of resistance: methods. 3. Kirchhoff's method. 4. Theory of Kirchhoff's method. 5. Glazebrook's experiments. 6. Accuracy of method. 7. Rowland's experiments. 8. Details and use of tangent galvanometer in Rowland's experiments. 9. Weber's earth inductor method. 10. Weber's mode of experimenting. 11. Weber and Zöllner's experiments. 12. Wiedemann's experiments. 13. Experiments of Mascart, de Neville, and Benoit. 14. Weber's method by damping. 15. Kohlrausch's modification of method by damping. 16. Method of

revolving coil. 17. Theory of the revolving coil method. 18. Equation of motion of the needle and deduction of resistance of circuit. 19. Criticisms of method. 20. Effect of self-induction. 21. Later experiments with the revolving coil method. 22. Calculation of self-induction of coil. 23. Experimental determination of inductance. 24. Mode of driving the coil and regulating speed. 25. Various corrections. 26. Specimen set of readings. 27. Value of resistance of B.A. unit. 28. Lord Rayleigh's further experiments with the revolving coil method. 29. Dimensions and windings of coil. Self-inductance. 30. Mode of carrying out observations. 31. Correction of results and value of B.A. unit deduced. 32. Method of Lorenz. 33. Lord Rayleigh and Mrs. Sidgwick's experiments. 34. Arrangement of apparatus. 35. Shunt arrangement for balancing e.m.f. of disk. 36. Calculation of mutual inductance of coils and disk. 37. Comparison of absolute resistance with B.A. unit. 38. Specimen set of results. 39. Final results of experiments. 40. Absolute determination of sp. resistance of mercury. 41. Adjustment of parts of apparatus to position. 42. Contact brushes: measurement of speed. 43. Arrangement of mercury column. 44. Adjustment of the disk in position: observations. 45. Reduction of results. 46. Final result of Jones's determination. 47. Ayrton and Jones's determination by method of Lorenz. 48. Mutual induction of coil and disk. 49. Arrangement of brushes: result obtained. 50. Apparatus of National Physical Laboratory. 51. Modification of method of Lorenz. 52. Construction and tests of materials, etc. 53. Calculation of M and final result. 54. Method of Joule. 55. Carey Foster's modification of method of revolving coil. 56. Table of collected results.

pp. 593-651

CHAPTER XVI.

COMPARISON OF UNITS.

Section 1. Ratio of units. Relation to speed of propagation of electromagnetic action. 2. Ratio of the units of quantity considered as a speed. 3. A moving electrified surface regarded as a current. 4. Methods of determining v . 5. Experiments of Weber and Kohlrausch: Rowland's experiments. 6. Standard condenser and galvanometer, etc. 7. Method of experimenting. 8. Reduction of results. 9. Lord Kelvin's method. 10. Maxwell's method. 11. Theory of Maxwell's method. Result. 12. Third method of determining v . 13. Maxwell's bridge form of method III. 14. Theory of Maxwell's bridge method. 15. Experiments of Rosa. 16. Determinations of Rosa and Dorsey. 17. Comparison of method. 18. Thomson and Searle's experiments. 19. Theory of method. 20. Description of commutators. 21. Mode of experimenting. 22. Methods IV. and V. Comparison of a capacity and an inductance. Determination of the product of a capacity and an inductance. 23. Theory of Method V. 24. Method VI. Electrostatic measurement of a high resistance. 25. Method of electrical oscillations. 26. General table of results. pp. 652-688

CHAPTER XVII.

ELECTROSTATIC MEASUREMENTS.

Section 1. Electrometers. 2. Attracted disk electrometers. 3. Method of use and theory of an attracted disk electrometer. 4. Lord Kelvin's

absolute electrometer. 5. Gauge for testing the electrification of the jar. 6. The replenisher. 7. Method of using the electrometer. 8. Symmetrical electrometers: the quadrant electrometer. 9. The needle and its suspension. 10. The subsidiary gauge-electrometer. 11. Electrodes, etc. 12. Adjustments of the quadrant electrometer. 13. Method of charging the electrometer-jar. 14. Method of testing insulation of quadrants. 15. Heterostatic use of the quadrant electrometer: theory. 16. Energetics of the action of a quadrant electrometer. 17. Grades of sensitiveness. 18. Idiostatic use of quadrant electrometer. 19. Dolezalek quadrant electrometer. 20. Electrostatic voltmeters. 21. Graduation of an electrostatic voltmeter. 22. Standard condensers. Comparison of capacities. 23. Guard-ring condenser. 24. Cylindrical condenser. 25. Electric absorption. 26. The platymeter. 27. Measurement of the capacity of cylindrical condenser. 28. Comparison of two guard-ring condensers. 29. Faraday's method of comparison of capacities. 30. Cable testing: determination of capacity. 31. Second method of finding the capacity of a cable. 32. De Sauty's method of comparing capacities. 33. Direct deflection method of measuring a capacity. 34. Comparison of a large with a small capacity. 35. Leakage method of comparing a capacity with a resistance. 36. Werner Siemens' method of determining capacities. pp. 689-731

CHAPTER XVIII.

I. EFFECT OF INDUCTIVITY OF THE MEDIUM ON ELECTRIC PHENOMENA.

Section 1. Stress in the dielectric medium. 2. Energy per unit volume equal to pull on unit area of electrified surface. 3. Analogy between electrostatic action and heat conduction. 4. Field containing different media. 5. Conditions which hold at surfaces of separation between media. 6. Apparent electrification on the surface of a dielectric. 7. Refraction of lines of force at common boundary of dielectrics. 8. Spherical portion of a dielectric imbedded in another medium. Undisturbed external field uniform. 9. Density of apparent electrification given by "couches de glissement." 10. Field within sphere. 11. Case of conducting sphere situated in impressed uniform field. 12. Energy of a dielectric sphere in a uniform field. Force on imbedded sphere. 13. Consideration of particular cases of different media in contact. 14. Maxwell's conception of the system of stress in a dielectric. Electric displacement.

II. MEASUREMENTS OF SPECIFIC INDUCTIVE CAPACITY.

Section 15. Relation between specific inductive capacity and index of refraction. 16. Determinations of specific inductive capacity. 17. Specific inductive capacity of paraffin wax. 18. Boltzmann's determinations. 19. Boltzmann's determinations by the force on a dielectric sphere in a known field. 20. Inductivity in different directions in a crystal. 21. Experiments on mica and on ice. 22. Five plate balance method. 23. Hopkinson's experiments on glass. 24. Further results of Hopkinson. 25. Hopkinson's experiments on glass plates. 26. Hopkinson's experiments on liquids. 27. Experiments of Silow. 28. Experiments of Quincke. 29. Correction of Quincke's results for connections. Electric stress and strain. 30. Hopkinson's experiments on liquids. 31. Hopkinson's ex-

CONTENTS

xix

periments on the benzene series. 32. Experiments on hydrocarbon series
33. Experiments of Cohn and Arons. Discussion by Quincke of results
for liquids. 34. Experiments on gases. 35. Effect of pressure on specific
inductive capacity of gases. 36. Experiments of Ayrton and Perry. 37.
Experiments at low temperatures. 38. Experiments with electric waves.
pp. 732-773

APPENDIX I.

THEORY OF THE INDUCTION COIL. pp. 774-785

APPENDIX II.

ZONAL SPHERICAL HARMONICS. pp. 786-799

APPENDIX III.

TABLE FOR THE CALCULATION OF THE MUTUAL INDUCTION M OF TWO COAXIAL
CIRCLES. pp. 800-801

APPENDIX IV.

TABLE OF ELLIPTIC INTEGRALS OF THE FIRST AND SECOND KIND (G AND H
IN THE NOTATION OF THIS BOOK, F AND E IN THE USUAL NOTATION).
FROM LEGENDRE, TRAITÉ DES FONCTIONS ELLIPTIQUES, TOME II.
pp. 802-803

APPENDIX V.

MUTUAL INDUCTANCE OF NON-COAXIAL CIRCLES. pp. 804-811

APPENDIX VI.

RECOMMENDATIONS OF INTERNATIONAL CONFERENCE ON ELECTRICAL UNITS
HELD IN LONDON IN OCTOBER, 1908, AND ORDER IN COUNCIL OF DATE
JANUARY, 1910, RELATIVE THERETO. pp. 812-814

APPENDIX VII.

DIRECTIONS FOR SETTING UP AND PARTICULARS REGARDING
THE WESTON STANDARD CELL. pp. 815-819

INDEX - - - - - pp. 820-837

INDEX.

- Absolute measurement, of currents,
weighers for the, 430.
of resistance, 593-651.
resistance, comparison of, with B.A.
unit, 633.
system, practical units as an, 34.
- Acceleration, dimensions of, 11.
- Action, mutual, of two circuits, 161.
the, between two elements varies
inversely as distance, 2, 136.
- Activity, electrical, unit of, or watt, 32.
in alternating current circuits, 292.
electrometer-method of determining,
322.
in circuit of generator and motor, 285.
in electric circuits, the measurement
of, 285-322.
mean electrical, in circuit, 299.
mean, =sum of mean activities of the
components, 300.
measurement of, 297, 310.
by current-meter only, 314.
- Activity-meters, 292.
- Aeolotropic body, couples on a mag-
netized, 80.
induced magnetization of an, 79.
ellipsoid, an, in a uniform field, 83.
- Alternator with electromotive force any
periodic function of t , 254.
rate of working in the circuit of an,
255.
- Alternators, parallel, 302.
- AMPÈRE, application of law of electro-
dynamic action to a solenoid, 175.
calculation of result for a small
circuit, 173.
directrix of electro-dynamic action,
173.
experiments on the action of an
element of a circuit, 161.
second proof of equation (16), 166.
the action between two elements
varies inversely as distance², 163.
theoretical results of, 164.
expression deduced from the mag-
netic shell theory, 167.
formula applied to find the action of
a thin solenoid, 171.
- Ampere, specification of the, 29.
the practical unit of current, 28.
- ANDERSON, ballistic method for com-
parison of inductance and
capacity, 573.
comparison of mutual inductance
and capacity by, 574.
null method for comparison of self-
inductance and capacity, 577.
condition that the method may be
null, 578.
ROSA and GROVER's determination
by, 580.
- Area, unit of, 9.
- ARONS and COHN, experiments of, on
liquids, 766.
- AYRTON, third method of determining
 v , 667.
- AYRTON and JONES, determination of
absolute resistance by method of
Lorenz, 644.
- AYRTON and PERRY, secohmmeter, 537.
determinations of the specific induc-
tive capacity of gases, 767.
experiments of, 769.
- AYRTON and SUMPNER, three-voltmeter
method of measuring power
given out in any portion of cir-
cuit, 319.
two current-meters and voltmeter
method, 320.
- Battery, resistance, measurement of,
377.
methods of Mance and Thomson
for, 378.
storage, electrical efficiency, maxi-
mum, arrangement of, in
charging a, 291.
e.m.f. in circuit, increased, effect
of, 291.
energy, measurement of, spent
in charging, 291.
generator charging, 290.
- Benoit, experiments of Mascart, de
Nerville, and, 605.
- BOLTZMANN, determinations of specific
inductive capacities, 749.

- BOLTZMANN**, determinations by the force on a dielectric sphere in a known field, 751.
 in different directions in a crystal, 752.
 of gases, 767.
 effect of pressure on specific inductive capacity of gases by, 768.
- Bridge**, arrangement of, for greatest sensibility, 336.
 practical rule for, 336.
 further discussion of, 336.
 arrangement of, for sensibility, 546.
 current through a galvanometer in a, 134.
 Christie's or Wheatstone's, 334.
 double, Thomson's, 349.
 apparatus for testing rods by, 353.
 example of a test by, 352.
 theory of, 351.
 effect of self-inductance in a, network, 338.
 network, addition of conductors to, without change of flow, 135.
 conjugate conductors in a, 136.
 reciprocal relation of conductors in a, 137.
 resistance of a, 134.
 sensitiveness of bridge, 138.
 operations in testing with a, 337.
 testing with a known ratio of arms of, 339.
 Wheatstone's, use of a telephone in, 545.
- Bridges**, slide-wire, 340.
 calibrating, Carey Foster's method of, 342.
 T. Gray's method of, 345.
 calibration of a, 342.
 comparison of two standards, 348.
 resistance of the, between two readings, 347.
- BRILLOUIN**, determinations of inductances, 538.
 method of correcting for unknown inductances in the bridge, 552.
 theory of the, 552.
 modification of formula for, arrangement, 553.
 modification of Maxwell's method of comparing mutual inductance of two coils with self-inductance of one, 551.
 practical example of method, 555.
- Bureau of standards**, current balance of the, 437.
- Capacities**, coefficients of, 234.
 method of comparing capacities of condensers, 725.
- Capacities**, of standard condensers, comparison of, 713.
- Capacity**, comparison of a, and an inductance, 684.
 comparison of a large with a small, 728.
 comparison of, for two guard-ring condensers, 721.
 comparison of mutual inductance and, by a differential galvanometer, 574.
 self-inductance and, by Anderson's null method, 577.
 conductors in parallel containing resistance, inductance and, 252.
 determination of, of a cable, Sir W. Thomson's two methods, 722-3.
 determination of the product of a, and an inductance, 684.
 electrostatic, electromagnetic measure of $[C]$, 23.
 influence of, in an electric circuit, 249.
 measuring the, of a condenser, direct deflection method of, 727.
 of a condenser, leakage method of comparing the, with a resistance, 729.
 of a conductor $[c]$, 18.
 of cylindrical condenser, measurement of the, 720.
 specific inductive $[K]$, 18.
 Boltzmann's determinations of, 749.
 by the force on a dielectric sphere in a known field, 751.
 in different directions in a crystal, 752.
- COHN and ARON's** experiments on liquids, 766.
 determinations of, 745.
 discussion by QUINCKE of results for liquids, 766.
 effect of pressure on, of gases by Boltzmann, 768.
 experiments at low temperatures on, by Dewar and Fleming, 770.
 experiments of AYRTON and PERRY on, of two condensers, 768.
 experiments on the, of gases by Boltzmann, and by Ayrton and Perry, 767.
 experiments with electric waves, 771.
- Gordon's**, J. E. H., experiments by five plate balance method, 753.
- HOPKINSON's** experiments on glass, 754.
 further results of, 756.
 experiments on glass plates, 757
 on liquids, 758.
 experiments on the benzene series, 764.

- Capacity, specific inductive, KLE-
MENËT's experiments on the,
of mica and of ice, 752.
measurements of, 744-773.
NEGREANO's experiments on hydro-
carbon series, 765.
of paraffin wax, 748.
QUINCKE's experiments, 760.
correction of, results for con-
nections, 762.
relation between, and index of re-
fraction, 744.
SILOW's experiments, 758.
unit of, 33.
Werner Siemens' method of deter-
mining, 729.
- CAREY FOSTER, comparison of mutual
inductance and capacity, 588.
condition that method may be
"null," 590.
method of calibrating a slide-wire, 342.
modification of method of revolving
coil for absolute resistance, 650.
practical example of, 591.
- "Centroids," question of, of magnetism,
85.
- Change-ratios, 2.
- CHRISTIE'S or WHEATSTONE'S bridge,
334.
- Circuit, alternating, power factor in a,
256.
arrangement of a battery, 130.
battery with induction coil in, and
cross-connection, 243.
compound periodic e.m.f. in, 299.
containing simple harmonic e.m.f.,
297.
current-carrying, magnetic field-in-
tensity due to an element of a,
186.
current in the secondary at break of
the primary, 238.
difference of phase of current and
e.m.f., 298.
electric, impedance in an, 249.
e.m.f. in, electrical efficiency in-
creased by increasing, 287.
effect of increased, in, 291.
equations for a circuit in a network
of conductors, 241.
force on element of, 159.
heterogeneous, OHM's law in a, 130.
mean current and mean square of
current, 255.
mean electrical activity in, 299.
phase difference and time-lag, 257.
primary, with a condenser, 251.
rate of working in the, of an alter-
nator, 255.
reaction of the elements of a, on a
magnetic system, 178.
- Circuit, secondary which contains no
electromotive force, 251.
theory of a single, with self-induc-
tance, 240.
theory of, of two long parallel con-
ductors, 475.
three-voltmeter method of measuring
power given out in any portion
of, 319.
total flow at "make" and "break,"
238.
two current-meters and voltmeter
method, 320.
two unequal e.m.f.s of different
phase, 301.
with two e.m.f.s of the same period,
301.
- Circuits, alternating current, electrical
activity in, 292.
differences of potential and cur-
rents in, 293.
derived, in a network, 138.
dynamical theory of mutually in-
fluencing, 234.
electric, the measurement of activity
in, 285-336.
electrokinetic energy of a system of,
232-257.
general theorem regarding mutually
influencing, 235.
magnetic action of, and coils, 210-231.
march of the currents in the, 237.
mutual action of two, 160.
mutually influencing, dynamical
theory of, 232.
primary and secondary, 279.
primary, secondary, tertiary, etc.,
system of, 280.
two, a primary and a secondary, 236.
- CLARK, standard cell, 469.
determination of e.m.f. of, potentio-
meter method, 470.
- Coaxial main, flow of alternating cur-
rents in a, 259.
general case of, 265.
- Coefficients of induction or "Induc-
tances," 528.
- "Coercive force," 77.
- COHN and ARONS, experiments of, on
liquids, 766.
- Coil, graded, theory of a, 406.
revolving, method for absolute
measurement of resistance, 609-
627.
calculation of self-inductance of,
615.
- CAREY FOSTER's modification of
method of, 650.
correction of results and value of
B.A. unit deduced, 626.
criticisms of method, 612.

- Coil, revolving, dimensions and windings of, self-inductance, 624.
 effect of self-inductance, 613.
 equation of motion of the needle and deduction of resistance of circuit, 611.
 experimental determination of inductance, 616.
 for absolute measurement of resistance, Weber, 609.
 theory of the, 609.
 later experiments with the, method, 614.
 Lord Rayleigh's and Mrs. Sidgwick's experiments, 628.
 Lord Rayleigh's further experiments with the, 620.
 mode of carrying out observations, 625.
 mode of driving, and regulating the speed, 617.
 specimen set of readings for, 620.
 resistance, absolute measurement of, method of Lorenz, 627.
 shunt arrangement for balancing e.m.f. of disk, 630.
- Coils, calculation of mutual inductance of, and disk, 631.
 constants of, calculation of, 210-231.
 constants of, force on movable coil in terms of, 433.
 experimental determination of, 435.
 construction of tests of materials, etc., 649.
 contact brushes: measurement of speed, 639.
 correction for cross-sections of, 505.
 correction of elliptic integral formula for cross-section, 505.
 discussion of two single-layer, 203.
 electro-dynamometer, couple on suspended double coil of, 229.
 with double coil arrangement, 230.
 fixed, force on movable coil between two, 432.
 flat, inductances of, 521.
 coaxial, mutual inductances of, 524.
 coplanar, mutual inductances of, 524.
 galvanometer, Helmholtz's arrangement of, 217.
 high resistance, differential galvanometer with, for low resistance tests, 362.
 hollow, non-overlapping, case of, 517.
 insulation and particulars of, tests of, 434.
 long, of several layers, 224.
 long, of single layer wire, 222.
 direct calculation for potential and force at centre of a, 223.
- Coils, magnetic action of, 180-208.
 magnetic action of circuits and, 210-231.
 modification of method of Lorenz, 647.
 mutual induction of, and disk, 645.
 mutual induction of two, coefficient of, 208.
 of lengths $\sqrt{3}$ times the radius, 503.
 parallel, attraction between two, 431.
 particular case of axes of, at right angles, 204.
 formulae of calculation, 206.
 method of integration, 204.
 potential due to disk, and circular magnetic shell, found by Laplace's equation, 211.
 short, calculations of inductances of, 520.
 solid, axial potential for semi-infinite, 509.
 case of distance between ends of, small, 512.
 mutual inductance of two, 509.
 singly finite, practical formulae for, 509.
 with adjacent ends in contact, 513.
 suspended, adjustment of, final result, 437.
 time-constants of, 524.
 with multiple layers, 504.
- Condenser, capacity of a large, with capacity of a small condenser, comparison of, Sir W. Siemens' method, 728.
 capacity of a, Werner Siemens' method of determining, 729.
 direct deflection method of measuring, 727.
 with a resistance-leakage method of comparing a, 729.
 cylindrical, 716.
 measurement of the capacity of, 720.
 electric absorption in, 717.
 guard-ring, 714.
 primary circuit with a, 251.
 standard, 713.
 time constants in oscillatory discharge of a, 247.
- Condensers, capacities of, method of comparing, 725.
 guard-ring, comparison of the capacities of two, Maxwell's method, 721.
 Faraday's method, 721.
- Conductance [I/r], 18.
 effective, and effective resistance of inner conductor, 263.

- Conductivity box, 332.
 Conductor, action of a solenoid on a finite, 176.
 effective resistance and conductance of inner, 263.
 end-corrections of, 145.
 equation of current in a single, 530.
 lines of force round a, 151.
 magnetic field of a long straight, carrying a current, 151.
 moment of a, in the field of a single pole, 177.
 relation of current to line integral of magnetic force round, 155.
 solid, in coaxial tube, 499.
 solution for outer return as highly conducting inner tube, 262.
 Conductors, addition of, to network without change of flow, 135.
 an outward and a return, two parallel wires, 272.
 circular, mutual action of two, 227.
 conjugate, in a network, 136.
 enhanced resistance of, due to alternation: distinguished from impedance, 296.
 in alternating currents, 270.
 in parallel, containing resistance, inductance and capacity, 252.
 linear, network of, e.m.f. in a circuit in a, 133.
 networks of, 132.
 steady flow in, 129.
 multiple, 499.
 mutual inductance between two coaxial circular, 187.
 network of, equations for the circuits of a, 241.
 general theory of, carrying currents, 529.
 Maxwell, cycle method for a, 529.
 theory of, 532.
 method usual in practice, 532.
 for comparison of inductances, theory of, 534.
 condition that, should be absolutely null, 535.
 experiments by, 540.
 modification of, 535.
 theory of the modified method, 535.
 outside, general case of coaxial main, 265.
 reciprocal relation of, in a network, 137.
 resistance between electrodes buried in a large mass of, 143.
 ring conductor of circular section, 273.
 two flat conducting strips with insulating separator, 273.
 Conductors, straight, forces between, 170.
 two circular, mutual action of, 227.
 Conference, Intern., recommendations of, App. VI., 812.
 Constraints, general dynamical theory of effects of, 277.
 Continuity, principle of, 134.
 for varying currents derived from law of magnetic force, 531.
 "Couches de glissement," density of apparent electrification given by, 737.
 Coulomb, unit of quantity, 28.
 Council, Order in, with regard to electric standards, App. VI., 812.
 Couple on a magnet in a magnetic field, 40.
 Current, action of a magnetic system on a, 157.
 alternating, bilateral and unilateral deflection of a galvanometer needle, 394.
 differences of potential and currents in, circuits, 293.
 electrical activity in, circuits, 292.
 and potential, mean squares of, electrometer method measurement of, 321.
 balance of the Bureau of Standards, 437.
 calculation of constants of, 449.
 of forces, 441.
 coils, particulars of, 440.
 comparison of, 441.
 theory of the, 441.
 general description of the, 446.
 of the National Physical Laboratory, 445.
 value of g , accuracy of current measurement, 443.
 balances, standard, Lord Kelvin's, 451.
 carrying circuit, magnetic field-intensity due to an element of a, 186.
 case in which the path and circuit interlace any number of times, 150.
 circular, couple or magnetic needle produced by, 213.
 electrokinetic energy of two, 228.
 extension to two coils of finite cross-section, 228.
 potential, etc., of, 225.
 deflection, observations of, 563.
 electric $[\gamma]$, 18, 21.
 equivalence of a, and a distribution of magnetism stated, 147.
 in the secondary at break of the primary, total flow at "make" and "break," 238.

- Current, linear, proof of general theorem of equivalence of a , and a magnetic shell, 149.
 magnet equivalent to a , 180.
 magnetic field of a long straight conductor carrying a , 151.
 mean current and mean square of, 255.
 measurement, accuracy of, by current balance of Bureau of Standards, 437.
 meter, measurement of activity by, only, 314.
 relation of, to line integral of magnetic force round conductor, 155.
 sheet, correction for deviation of flow from that in a , 526.
 equivalence of a helical current and a , 195.
 mutual inductance of helix and cylindrical, 191.
 theorem of work done in carrying unit pole round, second proof, 154.
 unit, 180.
 current strength and, definition of, 148.
 definition of, 87.
 weigher, theory of a , 196.
 constant, calculation of, 502.
 weighers for the absolute measurement of current, 430.
 work done in carrying a pole in a closed path round a , 150.
- Currents, alternating, a ring conductor of circular section, 273.
 case of ma greater than 5, 270.
 coaxial main, general case of, 265.
 determination of constants in the general solution, 266.
 distribution of, in parallel conductors, 258-284.
 effective "resistance," and "inertia" (or "inductance") of system, 278.
 electrical problems, 279.
 final result in the general case, 267.
 flow of, in a coaxial main, 259.
 general dynamical theory of effects of constraints, 277.
 inner conductor a hollow tube, 270.
 main consisting of two flat conducting strips with insulating separator, 273.
 measurement of difference of phase between, 309.
 numerical example of use of tables, 281.
 outside conductor of finite thickness, 265.
- Currents, particular cases, high frequency and low frequency, 276.
 primary and secondary circuits, 279.
 "skin effect" in practical cases, 269.
 special cases, low frequency and high frequency, 268.
 notation for functions, 264.
 system of primary, secondary, tertiary, etc., circuits, 280.
 the complete solution and its realization, 257.
 two parallel wires, 272.
 and magnets, actions between, 146-160.
 difference of phase of, and e.m.f., 298.
 of potential and, in alternate-current circuits, 293.
 distributed in space of three dimensions, 183.
 electrokinetic energy of, 181.
 in derived circuits and in a network of linear conductors, 129-145.
 in parallel, condition that difference of phase between, may be insensible, 307.
 magnetic fields due to, 180-208.
 march of the, in the circuits, 237.
 in the primary and secondary, 237.
 mean current and square root of mean square [R.M.S.] of alternating current, 294.
 measurement of, 87, 380-474.
 by electrolysis of copper sulphate, 458.
 on currents, action of, 160-179.
 steady, comparison of resistances to, 323-379.
 through a galvanometer in a bridge, 134.
- Deflections, mode of measuring, 93.
 Demagnetizing forces, 77.
 Density, unit of, 9.
 DEWAR and FLEMING, experiments at low temperatures on the specific inductive capacity of various substances, 770.
 Dielectric sphere, force on a , in a known field, Boltzmann's determinations by the, 751.
 Differential equation in flow of alternating currents in a coaxial main, integration of the, 259.
 equations for forced oscillations, rule for solution of, 247.
 galvanometer with high resistance coils for low resistance tests, 362.
 method for comparison of standards, 363.

- Dimensional formulae, Chap. I. *passim*.
examples of, 27.
- DORSEY, comparison of units by ROSA and, 674.
- Dynamical analogies in electrical oscillations, 245.
theory of effects of constraints, general, 277.
of mutually influencing circuits, 232-257.
units, examples of kinematical, 15.
- Dynamometer, Gray's, corrections, calibration of windings, etc., 401.
value of the couple in the, 400.
- Dynamometers, 403.
- Dynamos testing, Messrs. HOPKINSON'S method, 315.
SWINBURNE'S method, 316.
- Earth's field, effects of variations of the, 107.
- Electric absorption, 717.
current $[\gamma]$, 18.
displacement, 743.
force and intensity of electric field $[f]$, 17.
potential $[v]$, 17.
or electromotive force $[V]$, 23.
resonance, 250.
surface density $[\sigma]$, 17.
- Electrical activity, unit of, Watt, 32.
efficiency of arrangement of generator and motor, 286.
increased by increasing e.m.f. in circuit, 287.
maximum, arrangement of, 291.
oscillations, dynamical analogies in, 245.
method of, used by Lodge and Glazebrook, 687.
theory, 244.
- Electricity, flow of, in three dimensions, 141.
examples of, 143.
quantity of $[q]$, 16.
 $[Q]$, quantity of, 23.
- Electro-chemical equivalent of copper, 463.
of silver, 458.
determination of the, 455.
details of an experiment, 455.
results of a series of experiments, 457.
- Electrodes, etc., 703.
resistance between, buried in a large mass of conductor, 143.
- Electro-dynamic action, Ampère's directrix of, 173.
- Electrodynamometer, absolute, the Gray, 398.
- Electrodynamometer, B.A. Committee's, 396.
methods of using the instrument, 397.
couple on suspended double coil of, 229.
with double coil arrangements, 230.
- Electrodynamometers, 395.
construction of absolute galvanometers and, 207. -
- Electrokinetic energy of a current, 476.
geometric mean distances, 476.
energy of a system of circuits, 232.
of currents, 181.
of two circular currents, 228.
momentum, components of, 232.
- Electrolysis, arrangement for strong or weak currents, 466.
graduation of standard instruments by, 464.
measurement of currents and graduation of instruments by, 455-467.
of copper sulphate, measurement of currents by, 458.
preparation of plates, 460.
treatment of copper plates, 462.
- Electromagnetic action, theory of, 146-179.
force, 88.
equations of, 159.
system, B, 19-25.
units, relation between electrostatic and, 25.
- Electrometer, absolute, Lord Kelvin's, 693.
gauge for testing the electrification of the jar in, 695.
method of using the, 698.
the replenisher in, 696.
attracted disk, method of use and theory of an, 692.
gauge-, the subsidiary, 703.
idiostatic, measurement of difference of potential of, 295.
insulation of quadrants, method of testing, 706.
jar, method of charging the, 705.
method measurement of mean squares of current and potential, 321.
of determining activity, 322.
quadrant, adjustments of, 704.
Dolezalek, 711.
energetics of the action of a, 708.
grades of sensitiveness of, 709.
heterostatic use of: theory, 706.
idiostatic use of, 710.
the needle and its suspension in, 701.
Thomson's, 699.
symmetrical, 699.

- Electrometers, 689.
 attracted disk, 689.
 symmetrical, 699.
- Electromotive force, alternator with,
 any periodic function of t , 254.
 a secondary circuit which contains no,
 and a primary with a condenser,
 251.
- Electromotive forces, harmonic, 247.
 of cells and graduation of voltmeters,
 determination of, 467-474.
- Electrostatic and electromagnetic units,
 relation between, 25.
 action, analogy between, and heat
 conduction, 732.
 capacity [C], 23.
 energy, dissipation function and, 233.
 measurement of a high resistance,
 686.
 measurements, 689-731.
 cable testing: comparing capa-
 cities, De Sauty's method,
 725.
 comparison of a large with a
 small capacity, Sir W. Thom-
 son's method, 728.
 determination of capacity, two
 methods by Sir W. Thomson,
 722, 723.
 measuring a capacity, direct de-
 flection method of, 727.
 condenser, cylindrical, invented
 by Sir W. Thomson, 716.
 measurement of the capacity
 of, 720.
 guard-ring, 714.
 condensers, standard, comparison
 of capacities, 713.
 guard-ring, comparison of the
 capacity of two, Maxwell's
 method, 721.
 Faraday's method, 721.
 electric absorption, 716.
 electrometer, absolute, method of
 using the, 698.
 absolute, Lord Kelvin's, 693.
 gauge for testing the electri-
 fication of the jar in, 695.
 the replenisher, 696.
 attracted disk, method of use
 and theory of an, 692.
 gauge-, the subsidiary, 703.
 quadrant, adjustments of the,
 704.
 quadrant, the, 699.
 the needle and its suspension,
 701.
 symmetrical, 699.
 electrometer-jar, method of charg-
 ing the, 705.
 quadrant, DOLEZALEK, 711.
- Electrostatic electrometer, quadrant,
 energetics of the action of a,
 708.
 grades of sensitiveness, 709.
 heterostatic use of the, theory,
 706.
 idiostatic use of, 710.
 attracted disk, 689.
 leakage method by, of comparing
 a capacity with a resistance,
 729.
 Werner Siemens' method of de-
 termining capacities by, 729.
 platymeter, use of with, 719.
- Electrostatic voltmeter, graduation of
 an, 712.
 system, 16.
- Ellipsoid, aeolotropic, an, in a uniform
 field, 83.
 uniformly magnetized, case of a, 73.
- Elliptic integral formula for cross-
 section of coil, correction of, 505.
 formulae, self-inductance derived
 from, 522.
 solution of mutual inductance of
 two coaxial solenoids, 513.
- E.m.f. in a circuit in a network, 133.
- Energy (E), dimensions of, 14.
 electrokinetic, of a system of circuits,
 232.
 of two circular currents, 228.
 electrostatic, dissipation function
 and, 233.
 mutual potential, of a magnet and a
 magnetic field, 53.
 of two magnetic distributions in
 presence of one another, 64.
 per unit volume equal to pull on unit
 area of electrified surface, 732.
 spent in charging storage battery,
 measurement of, 291.
 hysteresis, 313.
- Equations, differential, of flow of elec-
 tricity in three dimensions, 142.
- Equipotential lines and surfaces, 42.
 graphical construction of lines of
 force and, 43.
- Equivalence of a helical current and a
 current sheet, 195.
 theorem of, proof of general, of a linear
 current and a magnetic shell, 149.
- FARADAY, method of comparison of
 capacities, 721.
- Field-intensity, earth's magnetic, deter-
 mination of horizontal com-
 ponent of, 87-129.
- FLEMING, DEWAR and, experiments at
 low temperatures on the specific
 inductive capacity of various
 substances, 770.

- Force and potential at centre of a long coil, direct calculation for, 223.
 (F), dimensions of, 12.
 direct calculation for potential and, at centre of a long coil, 223.
 earth's horizontal magnetic, determination of, 89.
 electromagnetic, 88.
 equations of, 159.
 electromotive, alternator with, any periodic function of t , 254.
 secondary circuit which contains no, 251.
 law of, deduction of, from equivalent magnetic shell, 153.
 expression for potential found from, 154.
 found experimentally, method of Maxwell, 152.
 lines of, circles round a conductor, 151.
 refraction of, at common boundary of dielectrics, 736.
 magnetic, 57.
 due to circular magnetic shell, 212.
 relation of current to line integral of, round conductor, 155.
 on a dielectric sphere in a known field, Boltzmann's determinations by the, 751.
 on element of circuit, 159.
 on imbedded sphere, 740.
 on movable coil between two fixed coils, 432.
 in terms of ratio of coil constants, 433.
 Forces between straight conductors, 170.
 demagnetizing, 77.
 harmonic electromotive, 247.
 Formulae, dimensional, change-ratios, 2.
 examples of, 27.
 for derived units, 8.
 of physics must be homogeneous in dimensions, 9.
- Galvanometer, aperiodic, Wiedemann's, 410.
 ballistic, action, uncertainty of, theory of its cause, 425.
 approximate theory of the, 423.
 damping of oscillations by air-friction, 423.
 deflection, logarithmic decrement of, 424.
 elimination of constant, etc., for, 426.
 method of recoil observations by the, 427.
 combination of results of, 428.
- Galvanometer, condition that current may be always zero, 544.
 current through a, in a bridge, 134.
 differential, comparison of mutual inductance and capacity by a, 575.
 theory of method by, 576.
 comparison of two inductances by differential, 548.
 theory of method, 549.
 with high resistance coils for low resistance tests, 362.
 method for comparison of standards, 363.
- Gauguin's, 216.
 coils, Helmholtz's arrangement, 217.
 with four coaxial coils, 220.
 three coaxial coils, 221.
 needle, bilateral and unilateral deflection of a, by alternating current, 394.
 sensibility of a, 392.
 for different positions of the needle, 393.
 torsion of suspension fibre, 393.
 sensitiveness of a, 325.
 sine, construction, 381.
 principal constant, 386-7.
 T. Gray's, 389.
 siphon-recorder arrangement used for, 411.
 tangent, principal constant, 386.
 single-layer, 384.
 manner of building up a wooden bobbin, 385.
 theory of a, 390.
 adjustment of the instrument, 391.
- Galvanometers, absolute, 380-454.
 construction of, and electro-dynamometers, 207.
 astatic, 415.
 Gray's, 417.
 vertical astatic needles, 418.
 advantages of, 419.
 with straight vertical needles, 421.
 ballistic, 422.
 mirror, 323.
 moving coil, best shape of coils in, 413.
 suspension of coils, 415.
 with iron cores in the coils, 429.
 non-absolute, best shape of section of bobbin, 405.
 choice of gauge of wire, 403.
 effect of grading the gauge of wire in bobbin, 405.
 needle and needle chamber, 408.
 theory of a graded coil, 406.
 standard, and electro-dynamometers, 380.

- Galvanometers, tangent, construction, 381.
 needle and suspension, scale and pointer, 383.
- Gaugain's galvanometer, 216.
- GAUSS, method of determining H , effect in the inductive correction of varying thickness of magnet, 107.
 effects of variation of the earth's field, 107.
 correction for distribution, 104.
 corrections for alteration of moment, and for induction, 105.
 corrections in, 99.
 deflection experiments, 101.
 description of determinations by T. Gray, 101.
 Poisson's method of determination, 89, 92.
 observation of oscillations, 102.
 reduction of observations, 103.
 theoretical results, 105.
- Generator and motor, activity in circuit of, 285.
 are similar machines, case when, 287.
 efficiency of, measurement of working, 289.
 electrical efficiency of arrangement of, 286.
 charging storage battery, 290.
- Geometric mean distance (g.m.d.), 475.
 calculation of, 479.
 examples of the use of, 477.
 for adjacent squares in different relative positions, 486.
 for lines, rectangles and squares, 483.
 values of, in various cases, 480.
- GLAZEBROOK, accuracy of method for resistance, 598.
 experiments, 596.
- LODGE and, method of electrical oscillations, 687.
- GORDON, J. E. H., five place balance method, 753.
- GRAY, absolute electro-dynamometer, 398.
 astatic galvanometer, 417.
 dynamometer, value of the couple in the, 400.
 formula for coaxial coils, 501.
 practical example of, 504.
 formulae for inductances of coils, 500.
 (J. G.), and Ross, improved magnetometer table and accessories, 120.
 (T.), description of actual determinations of earth's horizontal magnet force, Gauss's method, 101.
- GRAY (T), method of calibrating a slide-wire, 345.
 sine galvanometer, 389.
- GROVER, ROSA and, investigation of inductance, 567.
- Helmholtz's arrangement of galvanometer coils, 217.
 double coil, application of corrections to, 219.
- HOPKINSON, J. and E., method of testing dynamos, 315.
 J., experiments on glass, 754.
 further results of, 756.
 on glass plates, 757.
 on liquids, 758, 762.
 on the benzine series, 764.
- Hysteresis in changes of magnetization, 77.
 energy spent in, 313.
- Idiostatic use of quadrant electrometer, 710.
- Impedance in an electric circuit, 249.
- Induced magnetization (Section IV.), 76-86.
 in a uniform field, 76.
 of an acrotropic body, 79.
- Inductance, comparison of a capacity and an, 684.
 comparisons of, problems, 533.
 conductors in parallel containing resistance, and capacity, 252.
 determination of the product of a capacity and an, 684.
 in telephony, influence of, 250.
 mutual [M], 25.
 calculation of, of coils and disk (Rayleigh), 631.
 comparison of, and capacity by Anderson's ballistic method, 574.
 and capacity by a differential galvanometer, 575.
 and capacity: Carey Foster's method, 588.
 most sensitive arrangement for, 589.
 theory of method, 576.
 of a solenoid and a coaxial circle, 501.
 of coaxial and coplanar flat coils, 524.
 of coil and disk (by Mr. W. G. Rhodes), 645.
 of parallel conductors of square section, 496.
 of two close nearly equal coaxial circles, 197.
 of two coaxial circles, 490.
 of two coils compared with self-inductance, Maxwell's method, 549.

- Inductance, mutual, of two parallel wires of equal length, 495.
 of two non-coaxial circles, table, App. V., 806.
 Brillouin's method of correcting for unknown inductances in the bridge, 552.
 theory of the, 552.
 modification of formula, for, arrangement, 553.
 practical example of method, 555.
 modification of method, 551.
 of two coils compared with self-inductance of third, Niven's method, 556.
 theory of method, 556.
 between two coaxial circular conductors, 187.
 computation of, 191.
 of circle and helix, 188.
 of helix and cylindrical current sheet, 190.
 of two coaxial circles by q -series, 192.
 of two magnetic shells, 184.
 of two non-overlapping finite solid coils, 510.
 of two semi-infinite solid coils, 509.
 tables for calculation of, 516.
 (or "inertia") of system of alternating currents, 279.
 self-, (L), 24.
 Anderson's ballistic method, 573.
 null method for comparison of, and capacity, 577.
 calculation of, 519.
 calculations for short coils, 520.
 coil of maximum, 492.
 comparison of an, with a resistance, Lord Rayleigh's method, 557.
 comparison of mutual inductance of two coils with, of one, Maxwell's method, 549.
 of third, Niven's method, 556.
 of two, 542.
 comparison of, with capacity of a condenser, Maxwell's method, 570.
 theory of method, 570.
 condition that the method may be null, 578.
 derived from elliptic integral formulae, 522.
 effect of, in a bridge network, 338.
 formulae for, 525.
 Joubert's method of measuring, 565.
 conditions for accuracy of, 566.
 theory of, 566.
 meaning of, of part of a circuit, 493.
- Inductance, self-, of a circuit, 477.
 of a circular coil of large radius, 487.
 of a non-inductive shunt and of a thin tape, 498.
 of a straight bar and any form of section, 496.
 of straight conductor of given length, 493.
 range of applicability of formulae, 520.
 Rimington's modification of Maxwell's method, 571.
 theory of, 571.
 sensibility of the arrangement, 544.
 theory of a single circuit with, 240.
 of method, 542.
 standard of, 208.
 Inductances, calculation of, 475-527.
 by g.m.d., 475.
 comparison of two, by differential galvanometer, 548.
 theory of method, 549.
 in various cases, 497.
 magnetic field-intensities and, relations between, 194.
 measurement of, 528-592.
 of coils, Gray's formulae, 500.
 of flat coils, 521.
 of thick coils, formulae for, 507.
 or coefficients of induction, 528.
 ratio of, obtained as ratio of two resistances, 533.
 residual, and capacities in "non-inductive" coils, 582.
 estimation of error due to, and capacity, 585.
 Induction, calculation of, 210-231.
 coefficients of, 234.
 coil, battery with, and cross-connection, 243.
 theory of, App. I., 774.
 magnetic, 57-67.
 second specification of, through a circuit, 186.
 mutual of two coils, coefficient of, 208.
 of two close coils of large radius, 489.
 of two coaxial circles, App. III., 800.
 self-, calculation of, for revolving coil, 615.
 of coil, 624.
 total, is stream function of magnetic potential in case of axial symmetry, 199.
 Inductivity of the medium on electric phenomena, 732-744.
 "Inertia" (or "inductance") of system of alternating currents, 279.

- Integrals, elliptic, table of, App. IV., 802.
- Interpolation, 839.
- JONES, J. V., absolute determination of sp. resistance of mercury by method of Lorenz, 636.
adjustment of apparatus, 626.
- AYRTON, W. E., and, determination by method of Lorenz, 644.
final result of, determination, 644.
- JOUBERT, method of measuring self-inductance, 565.
conditions for accuracy of, theory of, 566.
- JOULE, method of, measurement of absolute resistance, 650.
unit of work, electrical, 33.
- KELVIN, Lord, electrostatic voltmeter, 711.
method, to determine v , 662.
standard current balances, 451.
- Kilowatt, 33.
- Kinematical units, examples of dynamical and, 15.
- Kirchhoff's method for absolute resistance, 594.
theory of, 595.
- Kohlrausch, experiments of Weber and, to determine v , 655.
- Kohlrausch's modification of method by damping, 608.
- Laplace, law of, 87.
- Laplace's equation, potential due to disk, and potential due to circular magnetic shell found by solving, 211.
- Length, unit of, 3.
- Lodge and Glazebrook, method of electrical oscillations, 687.
- Lorenz's method, absolute determination of sp. resistance of mercury, 636.
Ayrton and Jones's determination by, 644.
modification of, 647.
- Lyle's equivalent mean radius for distant coils, 507.
- Magnet, couple on a , in a magnetic field, 40.
equilibrium of a , in a magnetic field, 39.
equivalent, a circuit and, in one medium not necessarily so in another, 157.
to a current, 180.
expansions for couple on small, with centre on axis, 226, 227.
- Magnet, lamellar, a solenoid regarded as a, 224.
mutual potential energy of a , and a magnetic field, 53.
potential energy of a , 40.
resultant field of a , obtained by superimposing a bar-magnet on a uniform field, 50.
uniform, a solenoid compared with a , 176.
- Magnets, 37-56.
bar-, distribution of magnetism in, 85.
deflecting, construction of, 94.
"end on" and "side on" positions, 96.
oscillation experiments, 97.
placing of, in position, 95.
lamellar, 69.
moments of large, comparison of, 112.
- Magnetic action, of coils, 180-208.
of circuits and coils, 180-208, 210-231.
distribution, elimination of effect of, 111.
distributions, energy of two, in presence of one another, 64.
energy, 57-67.
field, 39.
and inductances, relations between, 194.
couple on a magnet in a , 40.
due to an element of a current-carrying circuit, 186.
earth's, determination of horizontal component of, 87-129.
equilibrium of a magnet in a , 39.
[H], intensity of, 22.
intensity, 39.
mutual potential energy of a magnet and a , 53.
of a long straight conductor carrying a current, 151.
potential of a magnetized bar in a , 51.
resultant, of a magnet obtained by superimposing a bar-magnet on a uniform field, 50.
- fields, due to currents, 180-208.
- filament, potential of a , 47.
- force, earth's horizontal, determination of, 89.
- GAUSS' method, 92.
- lines of, 42.
and equipotential lines, graphical construction of, 43.
equipotential, and surfaces, 42.
of a uniformly magnetized bar, 48.
construction for, 49.
- Poisson's method of, 89.

- Magnetic force, relation of current to line integral of, round conductor, 155.
 forces due to circular magnetic shell, 212.
 induction, 57-67.
 second specification of, through a circuit, 186.
 values of components of, in terms of vector potential, 61.
 moment $[m]$, 21.
 needle, couple on, produced by circular current, 213.
 modification of formulae to allow for dimensions of coil section, 215.
 removal of second term in series of F , 216.
 permeability $[\omega]$, 21.
 pole, 19.
 a singly finite solenoid equivalent to a, 175.
 potential, 37-58, 42.
 total induction is stream function of, in case of axial symmetry, 199.
 shell, 67, 180.
 circular, potential due to, found by Laplace's equation, 211.
 magnetic forces due to, 212.
 deduction of law of force from equivalent, 153.
 mutual inductance of two, 184.
 one, in the field of another, 71.
 proof of general theorem of equivalence of a linear current and a, 149.
 theory of, AMPÈRE'S expression deduced from the, 167.
 vector potential for a, 184.
 survey, 112.
 susceptibility $[\kappa]$, 23.
 susceptibility, 59.
 system, action of a, on a current, 157.
 reaction of the elements of a circuit on a, 178.
- Magnetism, 37.
 distribution of, equivalence of a current and a, stated, 147.
 in bar-magnets, 85.
 potential due to circular surface distribution of, 211.
 question of centroids of, 85.
 unit of, 37.
- Magnetization, hysteresis in changes of, 77.
 induced, in a uniform field, Weber's theory, 76.
 of an aeolotropic body, 79.
 Section IV., 76-86.
 $[\nu]$, intensity of, 21.
 uniform, 41.
- Magnetized aeolotropic body, couples on a, 80.
 bar, lines of force of a uniformly, 48.
 construction for, 49.
 body, potential of a, in a magnetic field, 51.
 potential of a uniformly, 73.
 ellipsoid, case of a uniformly, 73.
 uniformly, 67-76.
- Magneto, rails and sliding-bar, 235.
- Magnetometer, the, 92, 114.
 adjustment of the instrument, 124.
 arrangement of compensating coils, 120.
 errors in usual, arrangements, 117.
 improved, table and accessories, Gray and Ross, 120.
 mode of measuring deflections, 93.
 order of magnitude of errors, 117.
 results obtained with trial instrument, 117.
- Stroud's, for complete determination of H , 113.
 use and theory of, 115.
 table and accessories, improved, 120.
 testing of specimens at different temperatures by Dr. G. E. Allan's electric furnace, 126.
- Mance, methods of, and Thomson for battery resistance, 378.
- Mascart, experiments of, de Nerville, and Benoit, 605.
- Mass, unit of, 5.
 standards of, relation between British and French, 6.
- Matthiessen's and Hockin's method for low resistances, 355.
- MAXWELL, cycle-method of a network of conductors, 529.
 condition that, should be absolutely "null," 535.
 experiments by, 540.
 method usual in practice, 532.
 modification of, 535.
 Niven's modification of, 456.
 theory of, 532.
 method of, law of force found experimentally, 152.
- Maxwell's bridge form of method III., 669.
 conception of the system of stress in a dielectric, 743.
 method, theory of, 670.
 for comparison of two guard-ring condensers, 721.
 to determine ν , 663.
 theory of, result, 665.
- Medium, dielectric, analogy between electrostatic action and heat conduction, 733.

- Medium, dielectric, apparent electrification on the surface of a, 735.
 conditions which hold at surfaces of separation between, 734.
 consideration of particular cases of different, in contact, 741.
 "couches de glissement," density of apparent electrification given by, 737.
 field containing different, 734.
 Maxwell's conception of the system of stress in a, electric displacement, 743.
 refraction of lines of force at common boundary of, 736.
 spherical portion of a, imbedded in another medium—undisturbed external field uniform, 737.
 stress in the, 732.
- Moment, of a conductor in the field of a single pole, 177.
 magnetic [m], 21.
- Moments of large magnets, comparison of, 112.
- Momentum, dimensions of, 12.
 electrokinetic, components of, 232.
 time-rate of change of, 12.
- Motor, alternating, theory of, 303.
 explanation of self-synchronizing action, 304.
 maximum activity of, 304.
 generator and, activity in circuit of, 285.
 are similar machines, case when, 287.
 charging storage battery, 290.
 efficiency of, measurement of working, 289.
 electrical efficiency of arrangement of, 286.
- National Physical Laboratory, current balance of the, 445.
- Negreano's experiments on hydrocarbon series, 765.
- Niven's modification of Maxwell's method, 546.
 theory of, 546.
- Oersted's experiment, 146.
- Ohm, absolute determination of, by Lorenz's method, 636.
 adjustment of J. V. Jones's apparatus, 636.
 adjustment of the disk in position: observations, 642.
 reduction of results, 642.
- Ayrton and Jones's determination by method of Lorenz, 644.
 apparatus of National Physical Laboratory, 646.
- Ohm, Ayrton and Jones's, etc., arrangement of brushes: result obtained, 646.
 final result of Jones's determination, 644.
 final results of experiments, 636.
 calculation of M and final result, 649.
 copies of the standard, 368.
 Legal and International, 328.
 realization of a standard, 367.
 specification of, 29.
 unit of resistance, 28.
- Ohm's law, 129.
 in a heterogeneous circuit, 130.
- Oscillations, forced, rule for solution of differential equations for, 247.
- Oscillatory discharge of a condenser, time constants in, 247.
- Paramagnetism and diamagnetism, 84.
- Perry, Professor, third method of determining r , 667.
 and Ayrton, determinations of the specific inductive capacity of gases, 767.
 experiments of, 769.
- Perry's, Ayrton and, secohmmeter, 537.
- Physical quantity, measure of, 1.
- Platometer, Sir W. Thomson's, 719.
- Poisson's method, of determination of the earth's horizontal magnetic force, 89.
- Potential and currents in alternate-current circuits, differences of, 293.
 axial, due to semi-infinite solid coil, 509.
 coefficients of, 234.
 difference of, between terminals of primary, 314.
 direct calculation for, and force at centre of long coil, 223.
 due to circular current, 210.
 to circular magnetic shell, 211.
 to circular surface distribution of magnetism, 211.
 to disk, 211.
 energy, of a magnet, 40.
 the mutual, of a magnet and a magnetic field, 53.
 etc., of circular current, 225.
 expression for, found from law of force, 154.
 magnetic, 37-56, 42.
 measuring instruments or voltmeters, 467.
 of a magnetic filament, 47.
 of a magnetized body in a magnetic field, 51.
 of a uniformly magnetized body, 72
 vector, 57-67.

- Potentiometer method of determining e.m.f. of Clark cell, 470.
- Quincke's correction of, results for connections, electric stress and strain, 762.
discussion by, of results for liquids, 766.
experiments, 760.
- RAYLEIGH, Lord, correction for cross-section of coils, 506.
experiments, 561.
further experiments with the revolving coil method, 622.
method of comparing low resistances, 356.
observations of steady current deflection, 563.
reduction of results of, 563.
and Mrs. SIDGWICK's experiments, 628.
- Refraction, index of, relation between specific inductive capacity and, 744.
of lines of force at common boundary of dielectrics, 736.
- Remington, modification of Maxwell's method of comparing self-inductance with capacity of a condenser, 571.
theory of, 571.
- Resistance [r], 18.
[R], 23.
absolute, comparison of, with B.A. unit, 633.
measurement of, 593-651.
method of Joule, 650.
battery, measurement of, 377.
methods of Mance and Thomson for, 378.
between electrodes buried in a large mass of conductor, 143.
box, testing a, 333.
boxes, 326.
different forms of, 329.
coils and resistance boxes, 326.
construction of, 328.
conductors in parallel, containing inductance and capacity, 252.
effective, and effective conductance of inner conductor, 263.
of system of alternating currents, 278.
from leakage, calculation of, 374.
Glazebrook's experiments, 596.
accuracy of method, 598.
high, electrostatic measurement of a, 686.
Kirchhoff's method, 594.
theory of, 595.
- Resistance, leakage method of comparing the capacity of a condenser with a, 729.
low, differential galvanometer with high resistance coils for, tests, 362.
of a bridge network, 134.
of B.A. unit, value of, 621.
realized standards of, importance of, 593.
Rowland's experiments, 599.
slides, 331.
specific, absolute determination, of mercury, Lorenz's method, 636.
adjustment of J. V. Jones's apparatus, 636-644.
Ayrton and Jones's determination by method of Lorenz, 644.
final result of Jones's determination, 644.
method of Joule, 650.
temperature variation of, 333.
- Resistances, high, leakage method for, 372.
observations, details of, 373.
measurement of, 370.
low, fall of potential method for, 359.
Matthiessen and Hockin's method for, 355.
potentiometer method for, 357.
Rayleigh's method of comparing, 356.
two-step method for, 358.
ratio of two, ratio of inductances obtained as, 533.
specific, measurement of, 356.
commercial tests of, of copper mains, 366.
the comparison of, 323.
to steady currents, comparison of, 323-379.
- Resonance, electric, 250.
- Rheostats, 334.
- Rosa and Grover's determination of inductance by Anderson's null method, 580.
determination continued, 568.
investigation, correction for wave form, 567.
results of, experiments, 569.
- Rosa, comparison of methods, 675.
determinations of, and Dorsey, 674.
experiments of, 671.
- ROSA, Professor E. B., third method of determining v , 667.
- Ross, J. G. Gray and, improved magnetometer table and accessories, 120.
- Rowland, experiments of, 599.
details and use of tangent galvanometer in, 600.
to determine v , 655.

- Searle and Thomson, experiments to determine r , 678.
- Secohmmeter, Ayrton and Perry's, 537.
theory of method, 559.
use of, 555.
- Sensibility, further discussion of, 336.
of a galvanometer, 392.
for different positions of the needle, 393.
torsion of suspension fibre, 393.
practical rule for, 336.
- SIDGWICK, Mrs. (and Lord Rayleigh), experiments, 628.
- SIEMENS', Sir W., method of comparing capacity of a large condenser with that of a relatively small condenser, 728.
method of determining capacities, 729.
- Silow's experiments, 760.
- Solenoid, a, compared with a uniform magnet, 176.
a, regarded as a lamellar magnet, 224.
a singly infinite, equivalent to a magnetic pole, 175.
action of a, on a finite conductor, 176.
application of Ampère's result to a, 174.
thin, Ampère's formula applied to find the action of a, 171.
- Specific inductive capacity [K], 18.
Boltzmann's determinations of, 749.
by the force on a dielectric sphere in a known field, 751.
in different directions in a crystal, 752.
determinations of, 745.
discussion by Quincke of results for liquids, 766.
effect of pressure on, of gases, Boltzmann, 768.
experiments at low temperatures on, by Dewar and Fleming, 770.
of Ayrton and Perry on, of two condensers, 768.
on hydrocarbon series by Negreano, 765.
on liquids by Cohn and Arons, 766.
on the, of gases by Boltzmann, and by Ayrton and Perry, 767.
with electric waves, 771.
- Gordon's, J. E. H., experiments by five plate balance method, 753.
- Hopkinson's experiments on glass, 754.
experiments on glass plates, 757.
on liquids, 758, 762.
on the benzene series, 764.
further results of, 756.
- Klemenčić's experiments on the, of mica and of ice, 752.
- Specific inductive capacity (K), measurements of, 744-773.
of paraffin wax, 748.
Quincke's experiments, 760.
correction of, results for connections, 762.
relation between, and index of refraction, 744.
- Silow's experiments, 758.
- Sphere, case of conducting, situated in impressed uniform field, 739.
dielectric, energy of a, in a uniform field, 740.
force on a, in a known field. Boltzmann's determinations by the, 751.
field within, 738.
imbedded, force on, 740.
- Spherical harmonics, zonal, App. II., 788.
- Standard, cell, Clark's, 469.
Weston, App. VII., 815.
cells, graduation of voltmeter by, 471.
centi-ampere balance, 452.
condenser and galvanometer, 657.
method of experimenting, 659.
reduction of results, 660.
current balances, Kelvin's, 451.
Daniell cell, 472.
electrodynamometers, 380.
galvanometers, 380.
instruments, graduation of, by electrolysis, 464.
- Standards, Bureau of, current balance of the, 437.
comparison of, differential galvanometer method for, 363.
constancy of, 369.
of mass, British and French, relation between, 6.
- Stress in the dielectric medium, 732.
system of, in a dielectric, Maxwell's conception of the, electric displacement, 743.
- Stroud, magnetometer for complete determination of H , 113.
- Sumpner and Ayrton's three-voltmeter method, 319.
two current-meters and voltmeter method, 320.
- Sumpner's method of testing transformers, 317.
- "Suppressed dimensions" of μ and κ , systems reconciled by, 25.
- Swinburne's method of testing dynamos 316.
- Table, general, of values of r , 688.
of collected results, derived from report on "Absolute Resistance of Mercury" by R. T. Glazebrook (*Brit. Assn. Report*, 1891), 651.

- Tables, coils near together (speed of disk about eight revolutions per second), 635.
 for calculation of mutual inductances 516.
 numerical example of use of, 281.
 of dimensions, 25.
 of functions used in calculating resistances and inductances of conductors carrying rapidly alternating currents, 283.
 value of the argument m for copper wires of conductivity 5.811×10^{-4} c.g.s. units, 284.
 of functions $X_1(x)$, $V_1(x)$, $S(x)$, $T(x)$, 282.
 results of measurements of four inductance coils of 100 millihenrys each, coils measured singly and in series in groups of two, 587.
- Telephony, influence of inductance in, 250.
- Thomson, methods of Mance and, for battery resistance, 378.
 J. J., and Searle's experiments, 678.
 Professor J. J., third method of determining v , 667.
- Thomson's cylindrical condenser, 716.
 double bridge, 349.
 apparatus for testing rods by, 353.
 methods of comparing the capacities of condensers in cable work, 722-3.
 platymeter, 719.
 quadrant electrometer, 699.
- Time constants in oscillatory discharge of a condenser, 247.
 constants of coils, 524.
 unit of, 7.
- Transformer, 310.
 constant permeability involves zero dissipation in iron core of, 312.
- Transformers, case of two equal, 318.
 Sumpner's method of testing, 317.

Unit current, 180.
 definition of, 87.
 of magnetism, 36.

Units,

- I. Fundamental, 3-8, 26.
 for scientific work, 5.
 of length, 2, 3.
 mass, 5.
 time, 7.
 prototype metre, 4.

II. Derived, 8-10.

- of area, 9.
 of density, 9.

Units,

III. Dynamical, 10-15.

- dimensions of acceleration, 11.
 energy (E), 14.
 force (F), 12.
 dimensions of momentum, time-rate change of momentum, 12.
 velocity and speed, 10.
 work (W), 13.
 kinematical and dynamical, examples of, 15.

IV. Derived electrical, 16-28.

A. Electrostatic system.

- capacity of a conductor [c], 18.
 conductance [$1/r$], 18.
 electric current [γ], 18.
 electric surface density [σ], 17.
 force and intensity of electric field [f], 17.
 potential [v], 17.
 electricity [q] quantity of, 16.
 resistance [r], 18.
 specific inductive capacity [K], 18.

B. Electromagnetic system, 19-28.

- electric current [γ], 21.
 potential or electromotive force [V], 23.
 electrostatic and electromagnetic, relation between, 25.
 electrostatic capacity [C], 23.
 intensity of magnetic field [H], 22.
 of magnetization [ν], 21.
 magnetic induction [B], 23.
 permeability [ω], 21.
 susceptibility [κ], 23.
 magnetic pole, 19.
 moment [m], 21.
 moment of a doublet or of an elementary current circuit [γA], 21.
 mutual inductance [M_1], 25.
 quantity of electricity [Q], 23.
 resistance [R], 23.
 self-inductance [L_1], 24.
 vector potential [A], 25.

V. Adopted in practice, 28-33.

- absolute, of electrical energy, 32.
 B.T.U., 32.
 international ohm, volt, ampere, specification of, 29.
 of current, practical, ampere, 28.
 of e.m.f., practical, volt, 28.
 of e.m.f., realization of, 30.
 disk magneto for, 32.
 of quantity, Coulomb, 28.
 of resistance, Ohm, 28.
 watt, 32.

- Units,
 VI. Practical, as an absolute system, 34-36.
 practical as an independent system, 34.
 ratio of, 34.
- Units, a moving electrified surface regarded as a current, 653.
 comparison of, 652-688.
 of a capacity and an inductance, 684.
 description of commutators, 682.
 determination of the product of a capacity and an inductance, 684.
 determinations of Rosa and Dorsey, 674.
 electrostatic measurement of a high resistance, 686.
 experiments of Rosa, 671.
 of Weber and Kohlrausch: Rowland's experiments, to determine ratio of, 655.
 general table of results, 687.
 Lord Kelvin's method, 662.
 Maxwell's bridge form of method III., 669.
 method, theory of, 670.
 Maxwell's method, 663.
 theory of, result, 665.
 method of electrical oscillations, 687.
 method VI., 686.
 methods IV. and V., 684.
 methods of determining ϵ , 654.
 mode of experimenting, 683.
 of quantity, ratio of the, considered as a speed, 653.
 ratio of, 652.
 relation to speed of propagation of electromagnetic action, 652.
 third method of determining ϵ , 667.
 Thomson and Searle's experiments, 678.
- Vector potential, definition, 60.
 for a magnetic shell, 184.
 method of, 181.
 specification of, 63, 183.
 values of components of magnetic induction in terms of, 61.
- Velocity and speed, dimensions of, 10.
- Volt, or practical unit of e.m.f., 28.
 specification of, 29.
- Voltmeter, electrostatic, graduation of an, 712.
 graduation of a, 468.
 graduation of, by standard cells, 471.
- Voltmeters, electrostatic, 711.
 potential measuring instruments or, 467.
- Watt, unit of electrical activity, 32.
- Weber, experiments of, and Kohlrausch, to determine ϵ , 655.
- Weber and Zöllner's experiments, 603.
 method by damping, 607.
- Weber's earth inductor method, 601.
 experiments, on electromagnetic action, 168.
 mode of experimenting, 602.
 theory, 76.
- Weston, standard cell, directions for setting up, App. VII., 815.
- Wiedemann's aperiodic galvanometer, 410.
 experiments, 603.
- Work (W), dimensions of, 13.
 theorem of, done in carrying unit pole round current, second proof, 154.
- Zöllner's, Weber and, experiments, 603.
- Zonal harmonic series, calculation of, 200.
 for two circles with intersecting axes, integration of, 201.